2007\_11\_P-4

5523/04	5523/04						
No.	Working	Ans.	Mark	Notes			
1(a)	450×28 = 12600p = £126 9.51×15 = £142.65 142.65+126 =	268.65	3	M1 for 450×28 or 0.28 × 450 or the digits 126 seen M1 for 9.51×15 or 951×15 or the digits 14265 seen A1 cao			
(b)	$\frac{15}{450}$	$\frac{1}{30}$	2	M1 $\frac{15}{450}$ A1 $\frac{1}{30}$			
(c)	$360 \times 1.175$ or $360 \times \frac{17.5}{100} = 63$ 360 + 63	£423	3	SC B1 for 0.03() or 3.33()% M2 for $360 \times 1.175$ oe A1 cao OR M1 $360 \times \frac{17.5}{100} (= 63)$ or attempt at 10%, +5%, +2.5%: eg digits 36 + 18 + 9 M1 (dep) $360 + '63'$ A1 cao			
2 (a)		10 10	1	B1 cao			
(b)		6.0 - 7.5 exclusive	1	B1 for 6.0 - 7.5 exclusive			
(C)		30	1	B1 cao			
(d)		Graph	1	B1 cao Line from (11.10, 20) to (11.50, 0); tolerance ±2mm Accept freehand line if intention is clear			
(e)		40	2	M1 20 ÷ 30 or 20 ÷0.5 oe or 0.6 or 0.66 seen A1 cao SC Award B1 for 20 ÷ 40 in working or 0.5 or 30 given as answer.			

5523/04						
No.	Working	Ans.	Mark	Notes		
3(a) (b)	4 <i>y</i> = 11	5 2.75	1 2	B1 cao M1 Movement of a term eg 4y = 12 - 1 A1 2.75 or $2\frac{3}{4}$ or $\frac{11}{4}$ oe		
(C)		3cd	1	B1 cao		
(d)		3p - q	2	B2 for 3p - q (B1 for 3p or ±q or 3p+-q)		
4	60×15×30 = 27000	27000	2	M1 60×15×30 A1 cao		
5	78+119+105 = 302 360 - 302 =58 180-58	122	3	M1 360- (78+119+105) or 360-302 or 58 seen M1 (indep) 180 - "58" where the "58" must be <90° and not 78° from the diagram. A1 cao		
6	Σfreq = 60 360° ÷ 60 = 6° 15×6=90 Cow 12×6=72 Hen 5×6=30 Pig 28×6=168 Sheep	90 72 30 168	4	<ul> <li>M1 evidence of method for at least 1 angle (could be implied by 1 correct angle drawn on pie chart, or one other than 90° in the table).</li> <li>A2 All 3 angles drawn (±4° tolerance, any order) (A1 at least 2 angles of three correctly drawn ±4°, or all 3 angles, other than 90°, in the table)</li> <li>B1 (dep on at least 1 angle drawn correctly, and exactly 4 sectors) for labels (names or abbreviations of animals only)</li> <li>NB mark table or pie chart to the benefit of the candidate if inconsistent.</li> </ul>		
7(a)	4.5 + 2.7225	7.2225	2	M1 for 4.5 or 2.7225 A1 7.2225 cao		
(b)		7.2	1	B1 for rounding correctly their 4 or more figure answer in (a) to 1 decimal place; award if 7(a) already to 1dp		

5523/04	5523/04						
No.	Working	Ans.	Mark	Notes			
8	3kg peaches is £1.68 £2.34 - £1.68 = £0.66 £0.66 ÷ 2 = £0.33	£0.33 or 33p	3	M1 2 × £0.84 or digits 168 seen M1 (dep) digits 234 - digits "168" or digits 66 seen A1 £0.33 or 33p (units consistent with answer) NB 0.33 or 33 without units M2, £0.33p,£.33p M2A1			
9(a)	8×5	40km	1	B1 accept answers from 39 to 41			
(b)		023° - 027°	1	B1 accept answers from 23° to 27°			
(C)		D correct	2	B2 cao (B1 D either 4 cm ±2mm from A or on correct bearing from A, 115° ±2°)			
10 (a)	4y - 2y = 9 - 3	3	2	M1 Attempts to move both y and number term eg $4y - 2y = 9 - 3$ A1 cao			
(b)	5 <i>t</i> - 15 = 8 5 <i>t</i> = 23	4.6	2	M1 5t - 15 = 8 or t - 3 = $\frac{8}{5}$ A1 4.6, $4\frac{3}{5}$ , $\frac{23}{5}$			

5523/04	523/04						
No.	Working	Ans.	Mark	Notes			
11(a)	$\frac{451-376}{376}$ × 100	19.9%	3	M1 $\frac{451-376}{376} = \frac{75}{376} = 0.199$			
				M1 (dep) $\frac{451 - 376'}{376} \times 100$			
				A1 19.9 - 19.95% Alternative:			
				M2 $\frac{451}{376} \times 100 - 100$			
				A1 19.9 - 19.95%			
				SC: B1 for 119.9 - 119.95 or $\frac{451-376}{451} \times 100$ oe			
				NB: ignore 0s for the purpose of awarding the method marks.			
(b)	3.2÷8×3=1.2	4.4	2	M1 digits 32 with either $\div$ 8 or $\times$ 3 or 4 seen or 1.2 seen or digits 96 seen A1 cao			
12(a)	5×12	30	2	$M1 \frac{5 \times 12}{2}$			
	2			$\frac{1}{2}$ A1 cao			
(b)	Area $ABCD = 17^2 = 289$	169	3	M1 for Area ABCD = $17^2$ or 289 seen			
	Area PQRS = $289 - 4 \times "30"$ (5+12) <sup>2</sup> =289			M1 (dep) for Area <i>PQRS</i> = "289" - 4× "30" A1 cao <b>OR</b>			
	(3+12) -289 289 - 4 ×'30'			$M1 5^2 + 12^2$			
				M1(dep) $\sqrt{25+144}$ or 13 or $13^2$			
				A1 cao SC B2 for 169 <sup>2</sup> or 28561 as answer			
				SC DZ 101 109 01 20301 ds dliswei			


5523/04	5523/04						
No.	Working	Ans.	Mark	Notes			
13		9n, 3×6n, (3n) <sup>2</sup>	3	B1 each correct value (-B1 each tick over 3, to a minimum of B0).			
14	2000×1.05 <sup>2</sup> = 2000×1.1025 or 2000×1.05 = 2100 2100×1.05 = 2205	£2205	3	M2 2000×1.05 <sup>2</sup> (M1 2000 × 1.05 <sup>n</sup> , $n \neq 2$ ) A1 cao Or M1 $\frac{5}{100}$ × 2000 (oe) or 100 or 200 or 2100 or 2200 seen M1 (dep) $\frac{5}{100}$ × (2000 + "100") A1 cao SC B2 for £2315.25 seen (3 yrs)			
15(a)		Reason	1	B1 eg "mode is 7" "the mode is the one of which there is the most" "because its got the lowest frequency"			
(b)	$4 \times 4 = 16$ $5 \times 7 = 35$ $6 \times 10 = 60$ $7 \times 12 = 84$ $8 \times 5 = 40$ $9 \times 2 = 18$ Mean = $\frac{\Sigma fx}{\Sigma f} = \frac{253}{40}$	6.325	3	M1 $\Sigma fx$ (at least 3, implied by answers) or 253 seen M1 (dep) $\frac{\Sigma fx}{\Sigma f}$ A1 6.325, 6.33, 6.3, 6.32			

5523/04	5523/04						
No.	Working	Ans.	Mark	Notes			
(c)		7	1	B1 cao NB 6.5 leading to 7 gets B0			
(d)		Beccy, as a bigger sample	1	B1 for Beccy and reason			
16	$5.6^2 + 10.5^2$ $\sqrt{31.36 + 110.25} = \sqrt{141.61}$	11.9	3	M1 $5.6^2 + 10.5^2$ M1 (dep) $\sqrt{31.36 + 110.25}$ A1 cao			
17	$\frac{1}{2}\pi \times 10^2$	157 cm <sup>2</sup>	3	M1 for sight of $\frac{1}{2}\pi \times 10^2$ or $\pi \times 10^2$ A1 157 - 157.1 B1 (indep) cm <sup>2</sup>			
18	2 × 360 , 2×2×180, 2×2×2×90, 2×2×2×2×45,	2×2×2×2×3×3×5	2	M1 at least two correct steps to find 720 as a product of its prime factors or sight of factors 2, 3, 5 on a factor tree oe A1 cao accept $2^4 \times 3^2 \times 5$			
19	$27 = \frac{4(x+10)}{2}$ 27 = 2x + 20	3.5	3	M1 27 = $\frac{4(x+10)}{2}$ M1 Expansion to 4x+40 or ×2 to give 54=4(x+10) A1 for 3.5, accept $\frac{14}{4}$ or $\frac{7}{2}$ SC: B1 for x=11			

5523/04	5523/04						
No.	Working	Ans.	Mark	Notes			
20(a)	$\frac{1240 + 1270 + 1330}{3}$	1280	2	M1 $\frac{1240 + 1270 + 1330}{3} = \frac{3840}{3}$ ; accept 1240 + 1270 + 1330 ÷ 3 oe A1 cao			
(b)	$\frac{1300+1330+x}{3} = 1350$ or (1350 × 3) - (1300 + 1330) = 4050-2630	1420	2	M1 $\frac{1300+1330+x}{3} = 1350$ Or (1350 × 3) -(1300 + 1330) or 4050-2630 A1 cao			
21(a)		6, -2, 0	2	B2 all 3 correct (B1 one or two correct)			
(b)		Graph	2	B1 for 5 or 6 points plotted either correct or ft from their table. B1 Joined with a smooth curve For either B mark ft on (a) if at least B1 awarded			
(c)	y = 2.5 drawn	-0.5, 2.5	2	B1 -0.4 to -0.6 or ft graph $\pm 0.1$ B1 2.4 to 2.6 or ft ft graph $\pm 0.1$ SC If B0 then B1 $y = 2.5$ drawn at least $-1 \le x \le 2$ ; tolerance within $y=2$ and $y=3$ NB Accept coordinates that define the values.			
22	(100%-25%)×Normal Price=£12.75 Normal Price = £12.75÷0.75	£17	3	M1 (100%-25%)×Normal Price=£12.75 or 0.75 or 75% seen M1 £12.75÷0.75 or £12.75 × $\frac{4}{3}$ oe A1 cao Alternative: M1 25% is £4.25 or £12.75 ÷3 (=£4.25) M1 (dep) £12.75 + "£4.25" oe A1 cao			

5523/04	5523/04						
No.	Working	Ans.	Mark	Notes			
23	$\frac{2 \times 2.2 \times 10^{12} \times 1.5 \times 10^{12}}{2.2 \times 10^{12} - 1.5 \times 10^{12}}$	9.43×10 <sup>12</sup>	3	M1 $6.6 \times 10^{24}$ or $7 \times 10^{11}$ or $0.7 \times 10^{12}$ or as ordinary numbers or calculator notation M1 $\frac{6.6 \times 10^{24}}{7 \times 10^{11}}$ or as ordinary number or calc notation			
	$=\frac{6.6\times10^{24}}{7\times10^{11}}$			A1 9.42 $\times 10^{12}$ to 9.43 $\times 10^{12}$ SC B1 for 9.4 $\times 10^{n}$ where n≠12 and an integer			
24	$6x + 2y = 16 4x + 2y = 9 2x = 7, x = 3.5 3 \times 3.5 + y = 8, y = -2.5$	x = 3.5, y = -2.5	3	<ul> <li>M1 full method to eliminate x or y, allow one accuracy error</li> <li>M1 (dep) for substitution of one variable in one of the equations, or by appropriate method after starting again A1 both cao</li> </ul>			
25	$\tan x = \frac{4.5}{12} = 0.375$ $x = \tan^{-1} 0.375$	20.6	3	M1 $\tan and \frac{4.5}{12}$ M1 $\tan^{-1} \left(\frac{4.5}{12}\right)$ A1 20.55 - 20.6 RAD: 0.3587 GRAD: 22.84 for M2			
26	130÷2	65 Reason	2	B1 cao B1 'angle at centre is twice the angle at the circumference' Allow "origin & O & middle" and "edge & perimeter"			

Additional notes for Paper 4: confidential to examiners. Not for publication.



Notes: pie chart Q6.

Graph: Q21b

Due to an unfortunate error in printing the paper, the 90° angle has drifted from the actual centre of the circle. To compensate, the tolerance n the angles has therefore been extended to  $\pm 4^{\circ}$ . This is shown on the overlay.

Call up the overlay. Ignore the centre squares, but position the overlay on the ends of the given lines using the blue T shapes by moving the top square with the mouse.

Once positioned, you will now find that you can rotate the bottom square, and the overlay correctly rotates around the given circle.

If candidates draw the sectors in the correct order marking is straight-forward.

If candidates draw the sectors in the wrong order, rotate the overlay to mark:

PIG the lines should both fall within the 4° tolerance lines on the overlay, even if this means they have the benefit of a wider tolerance

HEN rotate until a T shape falls on the intersection between the circumference and one of the sector lines; make sure the other T shape remains on the circumference. The other sector line should then fall within the 4° tolerance lines. Any difficulty in placing the overlay, give the benefit to the candidate and/or check with the angle measurer.

SHEEP rotate until a T shape falls on the intersection between the circumference and one of the sector lines; make sure the other T shape remains on the circumference. The other sector line should then fall within the 4° tolerance lines. Any difficulty in placing the overlay, give the benefit to the candidate and/or check with the angle measurer.

Question 15(a)

- B1: 9 is not the most common number because its got the lowest frequency because 9 is not the number that has the most frequency the mode has the highest number in the frequency because the amount of houses with 9 rooms is less than all the others 9 does not occur the most
- B0: 9 has only 2 rooms
  9 is not the maximum
  because 12 is the mode
  because the mode is the highest number in the frequency

Question 15(d)

B1: Because she takes the bigger sample Because she has got more rooms Becky has 80 houses but Ali only has 40 Becky has a bigger frequency