


June 2010

1380/1F				
Question	Working	Answer	Mark	Notes
1	(a)	6	1	B1 cao
	(b)	11	1	B1 cao
	(c)	Bar drawn to height of 7	1	B1 for bar of height 7 cm
2	(a)	15672	1	B1 cao
	(b)	Three thousand and twenty	1	B1 cao
	(c)	8200	1	B1 cao
	(d)	thousands	1	B1 accept 1000, thousands, 6000, six thousands oe
3	(a)	6.5	1	B1 for $6.5 \pm 0.2$
	(b)	35	1	B1 for $35 \pm 2$
	(c)	Acute	1	B1 cao

Question	Working	Answer	Mark	Notes
4 (a)		-6,-3,-2,1,7	1	B1 cao
(b)		0.06,0.3,0.35, 0.56,0.63	1	B1 cao
5		(M,A) (M,S) (M,B) (J,A) (J,S) (J,B) (W,A) (W,S) (W,B)	2	B2 All correct combinations present and no incorrect combinations (B1 for 5 or more correct combinations present including the given one) Ignore repeated combinations
6 (a)			1	B1 for correct pattern drawn
(b)		9, 11	1	B1 ft from their diagrams
(c)		25	1	B1 for 25
(d)		method	1	B1 for $2 \times 100 + 1$ or 201 or add on 99 lots of 2 (to 3) or start with 3 and add on 2, 99 times oe or continue adding 2 until you reach the 100 numbers or count on in pattern until 100 odd numbers or build pattern to 100 <sup>th</sup> pattern and then count sticks. Accept "times 2 and add 1" oe, " $2n + 1$ " oe

Question	Working	Answer	Mark	Notes
7 (i)		7 or 21	1	B1 for 7 or 21 or both
(ii)		10 or 20	1	B1 for 10 or 20 or both
(iii)		4 or 16	1	B1 for 4 or 16 or both
(iv)		7 or 21	1	B1 for 7 or 21 or both
8 (a)		15 cm <sup>2</sup>	2	B1 for 15 B1(indep) for cm <sup>2</sup>
(b)		16	1	B1 cao
9 (a)		1.55	1	B1 cao
(b)		Cornflakes	1	B1 cao
(c)		Rice Krispies	1	B1 cao
(d)	2.79 + 1.85 + 1.85	6.49	2	M1 for 2.79 + 1.85 + 1.85 or 279 + 185 + 185 oe or 649 seen A1 for 6.49 SC: B1 for 4.64

Question	Working	Answer	Mark	Notes
10 (a)		(2, 3)	1	B1 cao
(b) (i)		Point plotted	2	B1 for (1, 2) plotted ( $\pm 2\text{mm}$ )
(ii)		Point plotted		B1 for (-3, -2) plotted ( $\pm 2\text{mm}$ )
11 (i)		Square	3	B1 for square or drawing of a square
(ii)		$\frac{5}{9}$		M1 for $\frac{n}{9}$ , $n < 9$ or $\frac{5}{m}$ , $m > 5$ A1 for $\frac{5}{9}$ (SC B1 for 5 in 9, 5 out of 9, 5 : 4)
12 (a)		6	1	B1 cao
(b)		11	2	M1 for identification of 15 and 4 or -11 seen A1 cao
(c)		8	1	B1 cao

Question	Working	Answer	Mark	Notes
13 (a)		Science fiction	1	B1 cao
(b)		0.13	1	B1 cao
(c)		$\frac{6}{25}$	2	M1 for $\frac{24}{100}$ oe A1 for $\frac{6}{25}$
(d)		450	2	M1 for $\frac{15}{100} \times 3000$ or $300 + 150$ oe or fully correct method to work out 15% of 3000 A1 for 450
14	Odd $\times$ even = answer	Working	2	M1 any example of odd number $\times$ even number A1 odd $\times$ even with a correct result that is even identified as final answer

Question	Working	Answer	Mark	Notes
15 (a)(i)		38	2	B1 cao
		Reason		B1 (vertically) opposite angles OR angles on a (straight) line add to $180^\circ$ (and angles at a point add up to $360^\circ$ )
(b)(i)	$180 - 110 = 70$ $180 - 2 \times 70$	40	4	M1 for $180 - 110$ or 70 seen
(ii)		Reasons		M1 for $180 - 2 \times "70"$ or $110 - "70"$ A1 cao B1 for two out of three of: angles on a (straight) line add to $180^\circ$ isosceles triangle ( accept two sides equal or two angles equal) sum of angles in a triangle is equal to $180^\circ$ OR B1 for two out of three of: angles on a (straight) line add to $180^\circ$ isosceles triangle ( accept two sides equal or two angles equal) exterior angle of a triangle is equal to the sum of the opposite interior angles

Question	Working	Answer	Mark	Notes
16 (a)		$4p$	1	B1 for $4p$ (accept $p$ 4, $4 \times p$ , $p \times 4$ )
(b)		$m^3$	1	B1 cao
(c)	$2 \times 5 + 12$	22	2	M1 for $2 \times 5$ or 10 seen A1 cao
(d)	$22 = 4w - 2$ $w = (22 + 2) \div 4$	6	2	M1 for $22 = 4w - 2$ or for $22 + 2 \div 4$ oe A1 cao
17 (a)		Kite	1	B1 cao
(b)		6 shapes tessellating	2	B2 for 6 kites tessellating (can include given kite - ignore extras)  (B1 for 3, 4 or 5 kites tessellating (can include given kite - ignore extras))

Question	Working	Answer	Mark	Notes
18 (a)		20 25	3	M1 for an attempt to partition eg. 60, 60, 15 or 2hr 15min or attempt to divide 135 by 60 A1 for digits 825 A1 for 20 25 or 8 25pm oe
(b)	$300 \div 6 = 50$ $300 \div 10 \times 3 = 90$ $300 - 50 - 90$  or  $\frac{1}{6} + \frac{3}{10} = \frac{7}{15}$ $\frac{7}{15} \times 300 = 140$ $300 - 140$	160	4	M1 for $300 \div 6$ or 50 seen M1 for $300 \div 10 \times 3$ oe or $30 + 30 + 30$ or 90 seen M1 (dep on at least 1 previous M1) for $300 - "50" - "90"$ A1 cao Or M1 for $\frac{1}{6} + \frac{3}{10}$ or $\frac{7}{15}$ oe M1 for $"\frac{7}{15}" \times 300$ or 140 seen or $1 - "\frac{7}{15}"$ or $\frac{8}{15}$ oe seen M1 (dep on at least 1 previous M1) for $300 - "140"$ or 160 seen or $"\frac{8}{15}" \times 300$  A1 cao



Question	Working	Answer	Mark	Notes									
19 (a)		10 10	1	B1 for 10 10									
(b)		13 – 14	1	B1 for answer in range 13-14 inclusive									
(c)		30	1	B1 for 30									
20 (a)		$\frac{2}{15}$	1	B1 for $\frac{2}{15}$ oe									
(b)	$\frac{3}{21} + \frac{2}{21}$  <table border="1" data-bbox="324 866 678 987"> <tr> <td></td> <td>1</td> <td>7</td> </tr> <tr> <td>2</td> <td>X</td> <td>14</td> </tr> <tr> <td>21</td> <td>21</td> <td>147</td> </tr> </table>		1	7	2	X	14	21	21	147	$\frac{5}{21}$	2	M1 for $\frac{1 \times 3}{7 \times 3}$ and intention to combine with 2/21 or correct method to get two fractions with the same denominator A1 for $\frac{5}{21}$ oe OR M1 for table A1 for $\frac{35}{147}$ oe
	1	7											
2	X	14											
21	21	147											

Question	Working	Answer	Mark	Notes
21		$\begin{array}{l l} 4 & 3 \ 5 \ 7 \ 7 \\ 5 & 0 \ 3 \ 3 \ 5 \ 6 \ 7 \ 8 \ 8 \\ 8 & \\ 6 & 1 \ 2 \ 2 \end{array}$ <p style="text-align: center;">Key 4   3 means 43g</p>	3	B2 for fully correct diagram. Accept a stem of 40, 50, 60. (The order of the numbers in the stem may be reversed) (B1 for ordered leaves or unordered leaves (with one error or omission)) B1 for a correct key (units may be omitted).
22		Triangle at (1,-2), (-1,-2), (1,-5)	2	B2 for triangle at (1,-2), (-1,-2), (1,-5) (see overlay) (B1 for rotation of 180° about the wrong centre or for a rotation of 90° centre (1,0) clockwise or anticlockwise)
23		Enlargement scale factor 2 centre (1,0)	3	B1 for enlargement B1 for scale factor 2 oe (eg $\times 2$ , by 2, of 2) B1 for (1,0) (condone omission of brackets or the word "centre": do not accept a vector) Note: A combination of transformations gets 0 marks
24		2 reasons	2	B2 for 2 out of 3 of these aspects Aspect 1: no time frame Aspect 2: overlapping Aspect 3: not exhaustive (B1 for 1 aspect) (SC B1 for designing a better question identifying at least one aspect)

Question	Working	Answer	Mark	Notes
25	$40 \div (2 + 3) = 8$ $8 \times 2$ $8 \times 3$	16, 24	3	M1 for $40 \div (2 + 3)$ oe or 8 or $\frac{2}{5}$ or $\frac{3}{5}$ seen or at least 3 multiples of 2 and 3. M1 for "8" $\times 2$ or "8" $\times 3$ oe A1 for 16 and 24 in correct places SC : B2 for 24, 16 SC: If M0 scored, B1 for just one correct answer in the correct place.
26	$\frac{1}{2} \times 3 \times 4 \times 20$	120	2	M1 for $\frac{1}{2} \times 3 \times 4 \times 20$ A1 cao

Question	Working	Answer	Mark	Notes																																
27	$\begin{array}{r} 452 \\ \underline{36} \\ 2712 \\ 13560 \\ \underline{16272} \end{array}$ <table border="1" data-bbox="327 437 707 639"> <tr> <td></td> <td><b>4</b></td> <td><b>5</b></td> <td><b>2</b></td> <td></td> </tr> <tr> <td>1</td> <td><sup>1</sup> 2</td> <td><sup>1</sup> 5</td> <td></td> <td><b>3</b></td> </tr> <tr> <td>6</td> <td><sup>2</sup> 4</td> <td><sup>3</sup> 0</td> <td><sup>6</sup> 2</td> <td><b>6</b></td> </tr> <tr> <td></td> <td>2</td> <td>7</td> <td>2</td> <td></td> </tr> </table> <table border="1" data-bbox="327 683 741 842"> <tr> <td></td> <td><b>400</b></td> <td><b>50</b></td> <td><b>2</b></td> </tr> <tr> <td><b>30</b></td> <td>12000</td> <td>1500</td> <td>60</td> </tr> <tr> <td><b>6</b></td> <td>2400</td> <td>300</td> <td>12</td> </tr> </table> <p data-bbox="327 927 947 959">12000 + 1500 + 60 + 2400 + 300 + 12 = 16272</p>		<b>4</b>	<b>5</b>	<b>2</b>		1	<sup>1</sup> 2	<sup>1</sup> 5		<b>3</b>	6	<sup>2</sup> 4	<sup>3</sup> 0	<sup>6</sup> 2	<b>6</b>		2	7	2			<b>400</b>	<b>50</b>	<b>2</b>	<b>30</b>	12000	1500	60	<b>6</b>	2400	300	12	162.72	3	<p>M1 for complete method with relative place value correct. Condone 1 multiplication error, addition not necessary.</p> <p>OR</p> <p>M1 for a complete grid. Condone 1 multiplication error, addition not necessary.</p> <p>OR</p> <p>M1 for sight of a complete partitioning method, condone 1 multiplication error. Final addition not necessary.</p> <p>A2 for 162.72 (A1 (dep on M1) for correct placement of decimal point after final addition of appropriate values or for digits 16272 seen) (SC; B1 for attempting to add 36 lots of 4.52)</p>
	<b>4</b>	<b>5</b>	<b>2</b>																																	
1	<sup>1</sup> 2	<sup>1</sup> 5		<b>3</b>																																
6	<sup>2</sup> 4	<sup>3</sup> 0	<sup>6</sup> 2	<b>6</b>																																
	2	7	2																																	
	<b>400</b>	<b>50</b>	<b>2</b>																																	
<b>30</b>	12000	1500	60																																	
<b>6</b>	2400	300	12																																	

Question	Working	Answer	Mark	Notes									
28 (a)		$3(x + 4)$	1	B1 for $3(x + 4)$ Accept $3 \times (x + 4)$ , $(x + 4)3$ , $(x + 4) \times 3$									
(b)	$8x - 12 = 5x + 7$ $8x - 5x = 12 + 7$ $3x = 19$	$\frac{19}{3}$ oe	3	M1 for $4 \times 2x - 4 \times 3$ or $8x - 12$ seen or intention to divide by 4 throughout eg $\frac{5}{4}x + \frac{7}{4}$ seen  M1 for clear correct method to isolate terms in $x$ and isolate number terms on opposite sides of a four term equation eg. " $8x - 5x = 7 + 12$ " A1 for $\frac{19}{3}$ oe (accept 6.33 or better)									
(c)	$y^2 + 5y + 4y + 20$  <table style="border-collapse: collapse; margin-left: 20px;"> <tr> <td style="border-right: 1px solid black; padding: 5px;"></td> <td style="padding: 5px;"><math>y</math></td> <td style="padding: 5px;"><math>+4</math></td> </tr> <tr> <td style="border-right: 1px solid black; padding: 5px;"><math>y</math></td> <td style="padding: 5px;"><math>y^2</math></td> <td style="padding: 5px;"><math>4y</math></td> </tr> <tr> <td style="border-right: 1px solid black; padding: 5px;"><math>+5</math></td> <td style="padding: 5px;"><math>5y</math></td> <td style="padding: 5px;"><math>20</math></td> </tr> </table>		$y$	$+4$	$y$	$y^2$	$4y$	$+5$	$5y$	$20$	$y^2 + 9y + 20$	2	B2 cao (B1 for 4 correct terms with or without signs, or 3 out of no more than 4 terms, with correct signs. The terms may be in an expression or in a table)
	$y$	$+4$											
$y$	$y^2$	$4y$											
$+5$	$5y$	$20$											