




1MA0_1F					
Question		Working	Answer	Mark	Notes
1	(a)		380	1	B1 cao
	(b)		6.2	1	B1 cao
	(c)		Arrow at 34	1	B1 cao
2	(a)		8	1	B1 for $8 \pm 0.2$
	(b)		35	1	B1 for $35 \pm 2^\circ$
	(c)		Circle drawn	1	B1 for all parts within $\pm 2\text{mm}$ , (use overlay)
3	(a)		4, 7, 4, 3, 2	2	M1 for at least 3 correct tallies <b>or</b> at least 3 correct frequencies A1 for all frequencies correct
	(b)		7	1	B1 for 7 <b>or</b> ft from frequencies in (a) or tallies if no frequencies
	(c)		Diagram drawn	3	M1 for bar chart or other suitable chart with at least 3 correct heights for their scale (can f.t.) A1 for all 5 bars correctly labelled and vertical axis correctly scaled A1 for fully correct <b>or</b> ft frequencies in (a) <b>OR</b> M1 for pictogram with at least 3 correct rows (can f.t.) A1 for correct labels on all 5 rows and correctly key A1 for fully correct <b>or</b> ft frequencies in (a) <b>OR</b> M1 for pie chart with at least 3 correct sectors $\pm 2^\circ$ (can f.t.) A1 for all 5 sectors correctly labelled A1 for fully correct <b>or</b> ft frequencies in (a)

1MA0_1F					
Question		Working	Answer	Mark	Notes
4		$\pounds 1.18 + 94\text{p} = \pounds 2.12$  $\pounds 5 - \pounds 2.12 - 30\text{p}$ $= \pounds 2.58$  $\pounds 2.58 \div 2 =$	1.29	3	M2 for $(5 - 1.18 - 0.94 - 0.30) \div 2$ oe or digits 129  (M1 for $1.18 + 0.94$ or 2.12 seen or $1.18 + 0.94 + 0.30$ oe or 2.42 seen or $5 - 1.18 - 0.94$ oe or 2.88 seen or $(5 - 1.18 - 0.94) \div 2$ or 1.44 seen or $5 - 1.18 - 0.94 - 0.30$ oe or 2.58 seen ) A1 cao <b>NOTE:</b> Accept working in £ or pence
5	(a)(i)		(2, 3)	2	B1 cao
	(ii)		(-3, 1)		B1 cao
	(b)		Point plotted at (3, -4)	1	B1 cao
6	(a)		-5	1	B1 cao
	(b)		6	1	B1 for 6 or -6
	(c)		3	1	B1 cao
7			(P, B), (P, S), (P, L) (M, B), (M, S), (M, L) (H, B), (H, S), (H, L)	2	M1 for any 3 combinations with no incorrect combinations A1 for all 9 combinations with no duplicates or extras
8	(a)		Walk	1	B1 cao
	(b)	$24 \div 4 =$	6	2	M1 for $24 \div 4$ oe or $\frac{1}{4}$ oe seen A1 cao

1MA0_1F					
Question		Working	Answer	Mark	Notes
9	(a)		Isosceles triangle	1	B1 for isosceles triangle
	(b)		Rectangle with area $12 \text{ cm}^2$	2	M1 for rectangle drawn A1 cao
10	(a)		A marked at 0	1	B1 for A marked at 0 (within overlay)
	(b)		B marked at $1/4$	1	B1 for B marked at $1/4$ (within overlay)
11	(a)		9	1	B1 cao
	(b)		33	2	M1 for $5 \times 5$ or 25 seen in the working or $2 \times 2 \times 2$ or 8 seen in the working A1 cao
12	(a)		20	2	M1 $3 \times 3 \times 3$ oe seen or drawn or 27 seen or use of 3 layers A1 cao
	(b)			2	B2 for correct view (B1 for  or  )
13	(a)(i)		07 29	2	B1 for 07 29
	(ii)		36		B1 for 36 or ft difference between (i) and 06 53
	(b)		07 51	1	B1 cao
	(c)		09 55	1	B1 for 09 55 or 9 55 or five to ten


## 1MA0\_1F

Question		Working	Answer	Mark	Notes
14		$2 + 8 + 2 + 8 = 20$ $20 \div 4 =$	5	4	M2 for $2 + 8 + 2 + 8$ oe <b>or</b> 20 seen <b>or</b> $(2 + 8) \div 2$ oe (M1 for the sum of 3 sides of the rectangle) M1 (dep) for the sum of 3 or 4 sides of the rectangle $\div 4$ <b>or</b> an attempt to evaluate $(2 + 8) \div 2$ oe to get the length of one side A1 cao SC: B1 for an answer of 4 coming from $\sqrt{2 \times 8}$ oe
15	(a)		4	1	B1 cao
	(b)	$9.5 - 4.75 =$ <b>OR</b> $9.5 \div 2 =$	4.75	2	M1 for $9.5 - 4.75$ <b>or</b> $9.5 \div 2$ <b>or</b> $4.75 - 9.5$ A1 cao
	(c)		6	1	B1 cao
	(d)	$12 \times 4 =$	48	2	M1 for $\times 4$ seen <b>or</b> identifying + 0.5 for every 2 inches <b>or</b> $12 + 12 + 12 + 12$ oe <b>or</b> build up method eg 12, 24, 36, 48 allow one error A1 cao
16	(a)		trapezium	1	B1 for trapezium or isosceles trapezium
	(b)			2	B2 for correct tessellation (at least 5 more shapes) (B1 for at least 4 shapes (including initial shape) correctly tessellating)

## 1MA0\_1F

Question	Working	Answer	Mark	Notes
17*	<p>S: <math>35 \div 100 \times 40 = 14</math>  W: <math>40 \div 8 \times 3 = 15</math></p> <p><b>OR</b></p> <p>D: <math>16 \div 40 \quad (\times 100)</math>  <math>= 0.4 \quad (40\%)</math>  W: <math>3 \div 8 \quad (\times 100)</math>  <math>= 0.375 \quad (37.5\%)</math></p> <p><b>OR</b></p> <p>D: <math>\frac{16}{40} = \frac{80}{200}</math>  S: <math>\frac{35}{100} = \frac{70}{200}</math>  W: <math>\frac{3}{8} = \frac{75}{200}</math></p>	Debbie and correct calculations	4	<p><b>Compares Marks out of 40 or fractions with denominator of 40</b></p> <p>M1 for <math>35 \div 100 \times 40</math> oe <b>or</b> 14 seen (or 14/40 seen)  M1 for <math>40 \div 8 \times 3</math> <b>or</b> 15 seen (or 15/40 seen)  A1 for 14 and 15 <b>or</b> <math>\frac{14}{40}</math> and <math>\frac{15}{40}</math></p> <p>C1 (dep on M1) for correct conclusion for their working QWC with 3 comparable marks:  Decision and justification should be clear with working clearly presented and attributable.</p> <p><b>OR Decimals (or Percentages)</b></p> <p>M1 for <math>16 \div 40 \quad (\times 100)</math> oe <b>or</b> 0.4 (or 40) seen  M1 for <math>3 \div 8 \quad (\times 100)</math> oe <b>or</b> 0.375 (or 37.5) seen  A1 for 0.4 and 0.375 (<b>or</b> 40 and 37.5)  C1 (dep on M1) for correct conclusion for their working QWC: with 3 comparable decimals (or percentages):  Decision and justification should be clear with working clearly presented and attributable.</p> <p><b>OR Compares Fractions with denominator other than 40</b></p> <p>M1 for attempt to convert all to fractions with a common denominator other than 40  M1 for at least 1 correct  A1 for <math>\frac{80}{200}</math> and <math>\frac{70}{200}</math> and <math>\frac{75}{200}</math> oe  C1 (dep on M1) for correct conclusion for their working QWC with 3 comparable fractions:  Decision and justification should be clear with working clearly presented and attributable.</p>

1MA0\_1F

Question	Working	Answer	Mark	Notes																					
18*	<p>(a)</p> <p>(b)</p>  <table border="1" data-bbox="302 774 795 869"> <thead> <tr> <th>Miles</th> <th>0</th> <th>10</th> <th>20</th> <th>30</th> <th>40</th> <th>50</th> </tr> </thead> <tbody> <tr> <td>Ed</td> <td>0</td> <td>15</td> <td>30</td> <td>45</td> <td>60</td> <td>75</td> </tr> <tr> <td>Bill</td> <td>10</td> <td>20</td> <td>30</td> <td>40</td> <td>50</td> <td>60</td> </tr> </tbody> </table>	Miles	0	10	20	30	40	50	Ed	0	15	30	45	60	75	Bill	10	20	30	40	50	60	<p>10</p> <p>Ed is cheaper up to 20 miles,</p> <p>Bill is cheaper for more than 20 miles</p>	<p>1</p> <p>3</p>	<p>B1 cao</p> <p>M1 for correct line for Ed intersecting at (20,30) ±1 sq tolerance <b>or</b> <math>10 + x = 1.5x</math> oe</p> <p>C2 (dep on M1) for a correct full statement ft from graph eg. Ed cheaper up to 20 miles <b>and</b> Bill cheaper for more than 20 miles</p> <p>(C1 (dep on M1) for a correct conclusion ft from graph eg. cheaper at 10 miles with Ed ; eg. cheaper at 50 miles with Bill eg. same cost at 20 miles; eg for £5 go further with Bill <b>or</b> A general statement covering short <b>and</b> long distances eg. Ed is cheaper for shorter distances <b>and</b> Bill is cheaper for long distances)</p> <p><b>OR</b> (continued on next page)</p>
Miles	0	10	20	30	40	50																			
Ed	0	15	30	45	60	75																			
Bill	10	20	30	40	50	60																			

## 1MA0\_1F

Question	Working	Answer	Mark	Notes
18 (contd)				<p><b>OR</b></p> <p>M1 for correct method to work out Ed's delivery cost for at least 2 values of <math>n</math> miles where <math>0 &lt; n \leq 50</math>  <b>or</b> for correct method to work out Ed and Bill's delivery cost for <math>n</math> miles where <math>0 &lt; n \leq 50</math></p> <p>C2 (dep on M1) for 20 miles linked with £30 for Ed and Bill with correct full statement  eg. Ed cheaper up to 20 miles <b>and</b> Bill cheaper for more than 20 miles</p> <p>(C1 (dep on M1) for a correct conclusion  eg. cheaper at 10 miles with Ed;  eg. cheaper at 50 miles with Bill  eg. same cost at 20 miles;  eg for £5 go further with Bill  <b>or</b> A general statement covering short <b>and</b> long distances  eg. Ed is cheaper for shorter distances <b>and</b> Bill is cheaper for long distances)</p> <p>SC: B1 for correct full statement seen with no working  eg. Ed cheaper up to 20 miles <b>and</b> Bill cheaper for more than 20 miles</p> <p>QWC Decision and justification should be clear with working clearly presented and attributable</p>

## 1MA0\_1F

Question		Working	Answer	Mark	Notes
19		$1.96 \times 2.25 = 4.41$ <b>OR</b> $4.23 \div 9 = 0.47$ $1.96 \div 4 = 0.49$ <b>OR</b> $4.23 \times 4 = 16.92$ $1.96 \times 9 = 17.64$ <b>OR</b> $4.23 \div 9 = 0.47$ $0.47 \times 4 = 1.88$ <b>OR</b> $1.96 \div 4 = 0.49$ $0.49 \times 9 = 4.41$ <b>OR</b> $9 \div 4.23 = 2.12$ $4 \div 1.96 = 2.04$	Pack of 9	3	M2 for a fully correct method to enable a conclusion eg $1.96 \times 2\frac{1}{4}$ <b>OR</b> M1 for $4.23 \div 9$ or $423 \div 9$ or 0.47 seen or 47 seen M1 for $1.96 \div 4$ or $196 \div 4$ or 0.49 seen or 49 seen <b>OR</b> M1 for $4.23 \times 4$ or $423 \times 4$ or 16.92 seen or 1692 seen M1 for $1.96 \times 9$ or $196 \times 9$ or 17.64 seen or 1764 seen <b>OR</b> M1 for $4.23 \div 9$ or $423 \div 9$ or 0.47 seen or 47 seen M1 for $0.47 \times 4$ or $47 \times 4$ or 1.88 seen or 188 seen <b>OR</b> M1 for $1.96 \div 4$ or $196 \div 4$ or 0.49 seen or 49 seen M1 for $0.49 \times 9$ or $49 \times 9$ or 4.41 seen or 441 seen <b>OR</b> M1 for $9 \div 4.23$ or 2.12(...) seen or 2.13 seen M1 for $4 \div 1.96$ or 2.04(...) seen A1 for Pack of 9 and fully correct calculations <b>NOTE:</b> B0 for an answer of 9 not supported by working.
20	(a)		6	1	B1 cao
	(b)		44	1	B1 cao
	(c)		31	2	M1 for $60 - 29$ or $29 - 60$ or any correct method that is attempting to find the difference between 29 and 60 (allow 1 arithmetic error) A1 cao



## 1MA0\_1F

Question	Working	Answer	Mark	Notes
21*	<p>Angle <math>DBC = (180 - 50) \div 2</math>            Base <u>angles</u> of <u>isosceles</u> triangle are <u>equal</u>            Angle <math>ABD = 180 - 65</math>  <u>Angles</u> on a straight <u>line</u> add up to <u>180</u>  <math>x = 180 - 20 - 115</math>  <u>Angles</u> in a <u>triangle</u> add up to <u>180</u></p> <p><b>OR</b>            Angle <math>DBC = (180 - 50) \div 2</math>            Base <u>angles</u> of <u>isosceles</u> triangle are <u>equal</u>  <math>x = 65 - 20</math>  <u>Exterior</u> angle of triangle is <u>equal</u> to sum of <u>interior opposite</u> angles</p> <p><b>OR</b>            Angle <math>DCB = (180 - 50) \div 2</math>            Base <u>angles</u> of <u>isosceles</u> triangle are <u>equal</u>  <math>x = 180 - 50 - 20 - 65</math>  <u>Angles</u> in a <u>triangle</u> add up to <u>180</u></p>	45 with reasons	4	<p>M1 for <math>(180 - 50) \div 2</math> oe <b>or</b> 65 seen</p> <p>M1 for <math>180 - 20 - (180 - \text{"65"})</math> <b>or</b> <math>\text{"65"} - 20</math>            or <math>180 - 50 - 20 - \text{'65'}</math> oe</p> <p>C2 for <math>x</math> identified as 45 with full reasons</p> <p>QWC: Reasons clearly laid out with correct geometrical language used</p> <p>(C1 (dep on M1) for one reason            QWC: Reasons clearly laid out with correct geometrical language used )</p> <p>NOTE: <math>x = 45</math> with no working or without any correct angles marked on the diagram cannot score.</p>

## 1MA0\_1F

Question		Working	Answer	Mark	Notes
22	(a)	$360 \div 60 = 6$ $300 \div 60 = 5$ $6 \times 5 =$	Yes and 30	3	<p>M1 for dividing side of patio by side of paving slab eg <math>360 \div 60</math> <b>or</b> <math>300 \div 60</math> <b>or</b> <math>3.6 \div 0.6</math> <b>or</b> <math>3 \div 0.6</math> <b>or</b> 6 and 5 seen <b>or</b> 6 divisions seen on length of diagram <b>or</b> 5 divisions seen on width of diagram</p> <p>M1 for correct method to find number of paving slabs eg <math>(360 \div 60) \times (300 \div 60)</math> oe <b>or</b> <math>6 \times 5</math> <b>or</b> 30 squares seen on diagram (units may not be consistent)</p> <p>A1 for Yes <b>and</b> 30 ( or 2 extra) with correct calculations</p> <p><b>OR</b></p> <p>M1 for correct method to find area of patio <b>or</b> paving slab eg <math>360 \times 300</math> <b>or</b> 108000 seen <b>or</b> <math>60 \times 60</math> <b>or</b> 3600 seen <b>or</b> <math>3.6 \times 3</math> <b>or</b> 10.8 seen <b>or</b> <math>0.6 \times 0.6</math> <b>or</b> 0.36 seen</p> <p>M1 for dividing area of patio by area of a paving slab eg. <math>(3.6 \times 3) \div (0.6 \times 0.6)</math> oe (units may not be consistent)</p> <p>A1 for Yes <b>and</b> 30 ( or 2 extra) with correct calculations</p> <p><b>OR</b></p> <p>M1 for method to find area of patio and area of 32 slabs eg. <math>60 \times 60 \times 32</math> <b>or</b> <math>360 \times 300</math></p> <p>M1 for method to find both areas eg. <math>60 \times 60 \times 32</math> <b>and</b> <math>360 \times 300</math> (units may not be consistent)</p> <p>A1 for Yes <b>and</b> 115200 <b>and</b> 108000 <b>OR</b> Yes <b>and</b> 11.52 <b>and</b> 10.8</p> <p><b>NB :</b> Throughout the question, candidates could be working in metres or centimetres</p>

**1MA0\_1F**

Question		Working	Answer	Mark	Notes												
22	(b)	$\begin{array}{r} 1726 \\ 25890 \\ \hline 27616 \end{array}$ <table border="1" style="margin: 10px auto;"> <tr> <td></td> <td>800</td> <td>60</td> <td>3</td> </tr> <tr> <td>30</td> <td>24000</td> <td>1800</td> <td>90</td> </tr> <tr> <td>2</td> <td>1600</td> <td>120</td> <td>6</td> </tr> </table> $\begin{array}{r} 24000 + 1800 + 90 \\ + 1600 + 120 + 6 \\ = 27616 \end{array}$		800	60	3	30	24000	1800	90	2	1600	120	6	276.16	3	<p>M1 for complete correct method with relative place value correct. Condone 1 multiplication error, addition not necessary.</p> <p><b>OR</b></p> <p>M1 for a complete grid. Condone 1 multiplication error, addition not necessary.</p> <p><b>OR</b></p> <p>M1 for sight of a complete partitioning method, condone 1 multiplication error. Final addition not necessary.</p> <p>A1 for digits 27616</p> <p>A1 ft (dep on M1) for correct placement of decimal point after addition (of appropriate values)</p> <p>(SC: B1 for attempting to add 32 lots of 8.63 )</p>
	800	60	3														
30	24000	1800	90														
2	1600	120	6														
23	(a)		30	2	<p>M1 for <math>25 \div 10</math> <b>or</b> 2.5 seen <b>or</b> <math>10 \div 25</math> <b>or</b> 0.4 seen <b>or</b> <math>12+12+6</math> oe <b>or</b> a complete method eg. <math>25 \times 12 \div 10</math> oe</p> <p>A1 cao</p>												
	(b)	$1000 \div 200 \times 12$	60	2	<p>M1 for <math>500 \div 50</math> <b>or</b> <math>1000 \div 200</math> <b>or</b> <math>500 \div 10</math> <b>or</b> correct scale factor clearly linked with one ingredient eg 10 with sugar or 5 with butter or flour <b>or</b> 50 with milk <b>or</b> an answer of 120 or 600</p> <p>A1 cao</p>												

## 1MA0\_1F

Question	Working	Answer	Mark	Notes
24	<p>Acton after 24, 48, 72, 96, ..            Barton after 20, 40, 60, 80, ..            LCM of 20 and 24 is 120            9:00 am + 120 minutes</p> <p><b>OR</b></p> <p>Acton after 24, 48, 1h 12 min...            Barton after 20, 40, 1 h            LCM is 2 hours            9:00 am + 2 hours</p> <p><b>OR</b></p> <p>Times from 9:00 am when each service leaves the bus station            Acton at 9:24, 9:48, 10:12..            Barton at 9:20, 9:40, 10:00..</p> <p><b>OR</b></p> <p><math>20 = 2 \times 2 \times 5</math>  <math>24 = 2 \times 2 \times 2 \times 3</math>  <math>2 \times 2 \times 2 \times 3 \times 5 = 120</math></p>	11:00 am	3	<p>M1 for listing multiples of 20 and 24 with at least 3 numbers in each list ; multiples could be given in minutes or in hours and minutes            (condone one addition error in total in first 3 numbers in lists)</p> <p>A1 identify 120 (mins) <b>or</b> 2 (hours) as LCM            A1 for 11:00 (am) <b>or</b> 11(am) <b>or</b> 11 o'clock</p> <p><b>OR</b></p> <p>M1 for listing times after 9am when each bus leaves the bus station, with at least 3 times in each list            (condone one addition error in total in first 3 times after 9am in lists)</p> <p>A1 for correct times in each list up to and including 11:00            A1 for 11:00 (am) <b>or</b> 11(am) <b>or</b> 11 o'clock</p> <p><b>OR</b></p> <p>M1 for correct method to write 20 and 24 in terms of their prime factors 2, 2, 5 and 2, 2, 2, 3            (condone one error)</p> <p>A1 identify 120 as LCM            A1 for 11:00 (am) <b>or</b> 11(am) <b>or</b> 11 o'clock</p>

## 1MA0\_1F

Question		Working	Answer	Mark	Notes
25	(a)		$6y - 15$	1	B1 cao
	(b)		$4x(2x + y)$	2	B2 cao (B1 for $x(8x + 4y)$ <b>or</b> $2x(4x + 2y)$ <b>or</b> $4(2x^2 + xy)$ <b>or</b> $4x(ax + by)$ where $a, b$ are positive integers <b>or</b> $ax(2x + y)$ where $a$ is a positive integer <b>or</b> $4x(2x \square y)$ )
	(c)	$10t = gh$ $h = \frac{10t}{g}$	$\frac{10t}{g}$	2	M1 for clear intention to multiply both sides of the equation by 10 (eg. $\times 10$ seen on both sides of equation) <b>or</b> clear intention to divide both sides of the equation by $g$ (eg. $\div g$ seen on both sides of equation) <b>or</b> $10t = gh$ <b>or</b> $\frac{t}{g} = \frac{h}{10}$ <b>or</b> fully correct reverse flow diagram eg. $\leftarrow \times 10 \leftarrow \div g \leftarrow$  A1 for $\frac{10t}{g}$ oe

1MA0_1F					
Question		Working	Answer	Mark	Notes
26	(a)	$2 \times 5 \times 2 = 20$ $300 \div 20 =$	15	3	M2 for $300 \div (2 \times 5 \times 2)$ oe (M1 for $2 \times 5 \times 2$ or 20 seen or $300 \div (2 \times 5)$ or 30 seen A1 cao
	(b)	$c = \frac{30 \times 40}{150} =$	8	2	M1 for $\frac{30 \times 40}{150}$ or 1200 seen A1 cao
27		$3x - 15 = 2x + 24$ $x = 39$  <b>OR</b> $2x + 3x - 15 + 2x + 2x + 24 = 360$ $9x + 9 = 360$ $9x = 351$ $x = 39$  <b>OR</b> $2x + 2x + 24 = 180$ $4x + 24 = 180$ $4x = 156$ $x = 39$  <b>OR</b> $2x + 3x - 15 = 180$ $5x - 15 = 180$ $5x = 195$ $x = 39$	39	3	M1 for forming an appropriate equation eg $3x - 15 = 2x + 24$ <b>OR</b> $2x + 3x - 15 + 2x + 2x + 24 = 360$ oe <b>OR</b> $2x + 2x + 24 = 180$ oe <b>OR</b> $2x + 3x - 15 = 180$ oe <b>OR</b> $2x + 3x - 15 = 2x + 2x + 24$ M1 (dep) for correct operation(s) to isolate $x$ and non- $x$ terms in an equation to get $ax = b$  A1 cao  <b>OR</b> M2 for $\frac{351}{9}$ or $\frac{195}{5}$ or $\frac{156}{4}$ oe A1 cao